



产品概览

AR0330CM: CMOS Image Sensor, 3 MP, 1/3"

欲看完整文档，请参阅数据表。

ON Semiconductor's focus on pixel performance excellence provides the foundation for this sensor's exceptional image quality with superior color accuracy, low-light sensitivity, and low noise level. This cost-effective CMOS imaging solution enables high speed image capture capabilities, and includes variable functions, including gain, frame rate, and exposure while maintaining low power consumption.

特性

- 2.2 μm pixel with ON Semiconductor A-Pix™ technology
- Full HD support at 60 fps (2304H x 1296V) for maximum video performance
- Superior low-light performance
- 3.4Mp (3:2) and 3.15 Mp (4:3)still images
- Support for external mechanical shutter
- Support for external LED or Xenon flash
- Data interfaces: four-lane serial high-speed pixelinterface (HiSPi™) differential signaling (SLVS), four-lane serial MIPI interface, Parallel
- On-chip phase-locked loop (PLL) oscillator
- Simple two-wire serial interface
- Auto black level calibration

For more features, see the data sheet

应用

- Security
- Camera

终端产品

- Video Camcorders
- Web Cameras
- Video Conference Cameras
- Security Cameras

器件电气规格



| 产品 | Pricing (\$/Unit) | Compliance | Status | Type | Megapixels | Frame Rate (fps) | Optical Format | Shutter Type | Pixel Size (μm) | Output Interface | Color | Package Type |
|-----------------------|-------------------|--|--------|------|------------|------------------|----------------|--------------------|-----------------|------------------|-------|--------------|
| AR0330CM1C00SHAA0-DP | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C00SHAA0-DP1 | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C00SHAA0-DR | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C00SHAA0-DR1 | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C00SHAA0-TP | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C00SHKA0-CP | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | ODCSP-64 |
| AR0330CM1C12SHAA0-DP | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C12SHAA0-DR | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C12SHAA0-DR1 | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | CLCC-48 |
| AR0330CM1C12SHKA0-CP | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | ODCSP-64 |
| AR0330CM1C12SHKA0-CR | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | ODCSP-64 |
| AR0330CM1C12SUD20 | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | |
| AR0330CM1C21SHKA0-CP | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | ODCSP-64 |
| AR0330CM1C21SHKA0-CR | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | ODCSP-64 |
| AR0330CM1C21SUD20 | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | |
| AR0330CM1C25SUD20 | | Pb-free Halide free non AEC-Q and PPAP | Active | CMOS | 3.5 | 60 | 1/3 inch | Electronic Rolling | 2.2 x 2.2 | Multi | RGB | |

欲了解更多信息，请联系您当地的销售支援 www.onsemi.cn。

创建于：11/18/2020